

| chance of seeing |   |                          | highest daily number | number of days seen | 1st trip 2011 | 2nd trip 2011* |
|------------------|---|--------------------------|----------------------|---------------------|---------------|----------------|
|                  |  | <b>Magee Marsh, OHIO</b> |                      | 13                  | 5/8 - 14      | 5/14 - 20      |

## Systematic List of Species Seen ~ May 8-14 & 14-20\*, 2011

|  |                           | * includes 2 days in Michigan   |     |    |   |    |
|--|---------------------------|---|-----|----|---|----|
| <b>The columns represent</b>   |                           |   |     |    |   |    |
| <b>A</b> = Chances of seeing the species:  |                           | 1 - Almost certainly; 2 - Likely to see many times; 3 - Probably see a few;<br>4 - Should see 2-3 if looking; 5 - With luck maybe 1; 6 - Rare |     |    |   |    |
| <b>B</b> = Species common name of all those seen during our 2, 2011 trips          |                           |   |     |    |   |    |
| <b>C</b> = Comments about the species seen our our trip                            |                           |   |     |    |   |    |
| <b>D</b> = The Highest Number of Birds Seen in One Day on our 2, 2011 7-day trips  |                           |   |     |    |   |    |
| <b>E</b> = The Number of Days that Species was Seen out of our 2, 2011 7-day trips |                           |   |     |    |   |    |
| <b>F</b> = Species was Seen during our 1st trip, May 8-14, 2011                    |                           |   |     |    |   |    |
| <b>G</b> = Species was Seen during our 2nd trip, May 14-20, 2011                   |                           |   |     |    |   |    |
| * = Seen in Michigan only on 2nd trip  |                           |   |     |    |   |    |
| <b>BIRDS</b>   |                           |   |     |    |   |    |
| <b>Geese, Swans &amp; Ducks</b>  |                           |   |     |    |   |    |
| 1  | Canada Goose              | Common mainly in pairs and with young. Seen daily   | 40+ | 13 | X | X  |
| 3  | Mute Swan                 | A few at Metzger Marsh, Ottawa and at Nayanquing  | 3   | 4  | X | X  |
| 3  | Trumpeter Swan            | Seen daily in Ohio at Magee Marsh or Ottawa NWR   | 7   | 11 | X | X  |
| 2  | Wood Duck                 | Pairs seen at Magee Marsh boardwalk, Ottawa NWR & Metzger Marsh WA  | 4   | 9  | X | X  |
| 4  | Gadwall                   | A large group at Ottawa NWR   | 20  | 2  | X | X  |
| 2  | Mallard                   | A few mainly in pairs. Seen daily   | 10  | 13 | X | X  |
| 3  | Blue-winged Teal          | A pair seen on the 2nd trip at Ottawa NWR   | 2   | 1  |   | X  |
| 5  | Ring-necked Duck          | Seen on 1st trip at Ottawa NWR  | 8   | 1  | X |    |
| 5  | Red-breasted Merganser    | Seen at Ottawa and Metzger WA on 1st trip   | 2   | 2  | X |    |
| 4  | Ruddy Duck                | A few on Lake Erie  | 6   | 3  | X | X  |
| <b>Grouse, Pheasants &amp; Turkeys</b>   |                           |   |     |    |   |    |
| 6  | Wild Turkey               | A couple in Michigan and 1 of dubious origin near Maumee & at Metzger WA,   | 2   | 5  | X | X  |
| <b>Grebes</b>  |                           |   |     |    |   |    |
| 2  | Pied-billed Grebe         | Seen at Ottawa NWR and Metzger WA   | 4   | 7  | X | X  |
| <b>Cormorants</b>  |                           |   |     |    |   |    |
| 1  | Double-crested Cormorant  | A common sighting.  | 40  | 11 | X | X  |
| <b>Hérons, Egrets &amp; Bitterns</b>   |                           |   |     |    |   |    |
| 5  | American Bittern*         | 1 heard at Nayanquing SWA on 2nd trip   | 1   | 1  |   | X* |
| 5  | Least Bittern             | 1 seen at Ottawa NWR and at Nayanquing SWA, both on the 2nd trip  | 1   | 2  |   | X  |
| 1  | Great Blue Heron          | Fairly common. Seen daily.  | 20  | 13 | X | X  |
| 1  | Great Egret               | Common and widespread. Seen daily   | 20  | 13 | X | X  |
| 4  | Snowy Egret               | A couple near Maumee and at Ottawa NWR  | 2   | 3  | X | X  |
| 5  | Cattle Egret              | 1 seen near Port Clinton on the 2nd trip  | 1   | 2  |   | X  |
| 3  | Green Heron               | A few scattered.  | 2   | 6  | X | X  |
| 4  | Black-crowned Night-Heron | 1 hanging out behind Wild Wings; 2 in Michigan  | 2   | 3  | X | X  |
| <b>New World Vultures</b>  |                           |   |     |    |   |    |
| 1  | Turkey Vulture            | On nicer days a handful in flight.  | 10  | 11 | X | X  |
| <b>Hawks &amp; Eagles</b>  |                           |   |     |    |   |    |
| 5  | Osprey*                   | 1 on a nest in Grayling on 2nd trip   | 1   | 1  |   | X* |
| 3  | Bald Eagle                | Pairs on nests; seen at Metzger Marsh WA. The most common raptor  | 6   | 12 | X | X  |
| 5  | Northern Harrier          | Uncommon. 1 seen near Metzger Marsh on both trips   | 1   | 2  | X | X  |
| 4  | Sharp-shinned Hawk        | Just seen on 1st trip at and near Magee Marsh   | 1   | 2  | X |    |
| 4  | Cooper's Hawk             | 1 on a nest in Port Clinton on 2nd trip   | 1   | 1  |   | X  |
| 5  | Broad-winged Hawk         | 2 over BSBO and Maumee Bay SP on 1st trip   | 2   | 2  | X |    |
| 3  | Red-tailed Hawk           | Scattered in small numbers. Largest number in Michigan  | 6   | 7  | X | X  |
| <b>Falcons</b>   |                           |   |     |    |   |    |
| 4  | American Kestrel          | A couple of individuals seen along Rte 2  | 1   | 7  | X | X  |
| <b>Rails, Gallinules &amp; Coots</b>   |                           |   |     |    |   |    |
| 5  | King Rail *               | Seen well on 2nd trip at Nayanquing SWA   | 1   | 1  |   | X* |
| 4  | Sora                      | Heard at Magee on 1st trip. Seen on 2nd trip at Nayanquing  | 1   | 3  | X | X* |
| 3  | Common Moorhen            | A few at Ottawa NWR & Metzger Marsh WA; 1 at Nayanquing SWA on 2nd trip   | 3   | 4  | X | X* |
| 3  | American Coot             | Small numbers at Metzger Marsh WA and Ottawa NWR  | 10  | 7  | X | X  |

| chance of seeing                   |                                   |  | highest daily number | number of days seen | 1st trip 2011 | 2nd trip 2011* |
|------------------------------------|-----------------------------------|--|----------------------|---------------------|---------------|----------------|
| <b>Plovers</b>                     |                                   |  |                      |                     |               |                |
| 5                                  | Black-bellied Plover              | A group of 8 along Rte 2   | 8                    | 2                   | X             | X              |
| 4                                  | Semipalmated Plover               | Seen along Ottawa-Lucas border   | 5                    | 2                   | X             | X              |
| 1                                  | Killdeer                          | Widespread. A handful seen daily including some on nests                         | 12                   | 13                  | X             | X              |
| <b>Sandpipers &amp; Phalaropes</b> |                                   |  |                      |                     |               |                |
| 4                                  | Spotted Sandpiper                 | Individuals scattered  | 2                    | 3                   | X             | X              |
| 4                                  | Solitary Sandpiper                | Seen in roadside puddle near Port Clinton on 2nd trip                            | 2                    | 1                   |               | X              |
| 5                                  | Greater Yellowlegs                | 3 along the road into Port Clinton on the 2nd trip                               | 3                    | 1                   |               | X              |
| 3                                  | Lesser Yellowlegs                 | A few scattered in roadside pools  | 3                    | 3                   | X             | X              |
| 6                                  | Upland Sandpiper                  | Adrian saw 1 driving near Grayling, but it was gone by the time we turned around | 1                    | 1                   |               | X*             |
| 4                                  | Least Sandpiper                   | A few along the Ottawa-Lucas border line   | 8                    | 3                   | X             | X              |
| 3                                  | Dunlin                            | Flocks along road side pools.  | 40                   | 5                   | X             | X              |
| 3                                  | American Woodcock                 | Several seen at Magee Marsh  | 4                    | 7                   | X             | X              |
| <b>Gulls &amp; Terns</b>           |                                   |  |                      |                     |               |                |
| 1                                  | Ring-billed Gull                  | The common gull, seen in fallow fields daily                                     | 100                  | 13                  | X             | X              |
| 1                                  | Herring Gull                      | Seen daily in smaller numbers than Ring-billed Gulls                             | 50                   | 13                  | X             | X              |
| 4                                  | Caspian Tern                      | 2 seen at Maumee Bay SP on 2nd trip  | 2                    | 1                   |               | X              |
| 4                                  | Black Tern                        | 2 at Ottawa NWR on the 1st trip; 5 at Nayanquing SWA on the 2nd trip             | 5                    | 2                   | X             | X*             |
| 1                                  | Common Tern                       | The common tern seen along Lake Erie   | 10                   | 6                   | X             | X              |
| 4                                  | Forster's Tern                    | Seen at Magee Marsh WA and along Lake Erie                                       | 5                    | 5                   | X             | X              |
| <b>Pigeons &amp; Doves</b>         |                                   |  |                      |                     |               |                |
| 4                                  | Rock Pigeon                       | Surprisingly few in this rural area. Mainly in cities.                           | 5                    | 8                   | X             | X              |
| 2                                  | Mourning Dove                     | A few seen on most days  | 10                   | 12                  | X             | X              |
| <b>Cuckoos</b>                     |                                   |  |                      |                     |               |                |
| 4                                  | Yellow-billed Cuckoo              | Individuals seen on 1st trip at Magee Marsh WA                                   | 1                    | 2                   | X             |                |
| 4                                  | Black-billed Cuckoo               | Seen at Magee Marsh on 1st trip; heard on 2nd trip at Oak Openings               | 3                    | 3                   | X             | X              |
| <b>Typical Owls</b>                |                                   |  |                      |                     |               |                |
| 5                                  | Eastern Screech-Owl               | 1 of each color phase seen along the boardwalk                                   | 1                    | 7                   | X             | X              |
| <b>Nightjars</b>                   |                                   |  |                      |                     |               |                |
| 5                                  | Common Nighthawk                  | Seen and heard at dusk in Port Clinton. Only heard once on 2nd trip              | 2                    | 3                   | X             | X              |
| 6                                  | Eastern Whip-poor-will            | Seen for 4 consecutive days along the boardwalk at Magee. Very lucky indeed!     | 2                    | 4                   | X             |                |
| <b>Swifts</b>                      |                                   |  |                      |                     |               |                |
| 3                                  | Chimney Swift                     | Mostly seen in Port Clinton at dusk. A few over Magee Marsh WA                   | 10                   | 11                  | X             | X              |
| <b>Hummingbirds</b>                |                                   |  |                      |                     |               |                |
| 3                                  | Ruby-throated Hummingbird         | A few seen on most days  | 3                    | 11                  | X             | X              |
| <b>Kingfishers</b>                 |                                   |  |                      |                     |               |                |
| 4                                  | Belted Kingfisher                 | One at Magee Marsh WA on the 2nd trip  | 1                    | 1                   |               | X              |
| <b>Woodpeckers</b>                 |                                   |  |                      |                     |               |                |
| 3                                  | Red-headed Woodpecker             | Seen at Open Openings and 1 at Magee Marsh WA and Ottawa NWR                     | 6                    | 3                   | X             | X              |
| 3                                  | Red-bellied Woodpecker            | 2 at Magee Marsh WA, more often seen on the 1st trip than the 2nd                | 2                    | 10                  | X             | X              |
| 5                                  | Yellow-bellied Sapsucker          | 1 seen on 2nd trip in Michigan at Pine Haven                                     | 1                    | 1                   |               | X*             |
| 2                                  | Downy Woodpecker                  | Widespread in small numbers  | 3                    | 12                  | X             | X              |
| 3                                  | Hairy Woodpecker                  | Seen at Magee Marsh WA, Ottawa NWR, Oak Openings and Hartwick Pines              | 2                    | 5                   | X             | X              |
| 3                                  | Northern 'Yellow-shafted' Flicker | Individuals seen at Ottawa NWR, Oak Openings and Grayling                        | 2                    | 6                   | X             | X              |
| 5                                  | Pileated Woodpecker               | Heard at Oak Openings on the 2nd trip  | 1                    | 1                   |               | X              |
| <b>Tyrant Flycatchers</b>          |                                   |  |                      |                     |               |                |
| 6                                  | Olive-sided Flycatcher            | 1 seen at Maumee Bay SP on the 1st trip.   | 1                    | 1                   | X             |                |
| 3                                  | Eastern Wood-Pewee                | Individuals seen at Magee Marsh WA, Oak Openings and Pine Haven                  | 1                    | 5                   | X             | X              |
| 5                                  | Yellow-bellied Flycatcher         | Individuals at Maumee Bay SP on 1st trip and Magee Marsh on 2nd trip             | 1                    | 4                   | X             | X              |
| 5                                  | Acadian Flycatcher                | 1 seen well on the 1st trip at Ottawa NWR and Oak Openings                       | 1                    | 2                   | X             |                |
| 3                                  | Willow Flycatcher                 | Seen at Magee Marsh boardwalk from May 13 on; some id'ed as Trail's              | 2                    | 6                   | X             | X              |
| 2                                  | Least Flycatcher                  | A few seen at Magee Marsh boardwalk  | 2                    | 8                   | X             | X              |
| 3                                  | Eastern Phoebe                    | A couple seen at Magee Marsh WA and Metzger Marsh WA                             | 3                    | 10                  | X             | X              |
| 3                                  | Great Crested Flycatcher          | A few seen on most days along Magee Marsh boardwalk and in Michigan              | 3                    | 10                  | X             | X              |
| 3                                  | Eastern Kingbird                  | A few seen daily   | 10                   | 13                  | X             | X              |
| <b>Vireos</b>                      |                                   |  |                      |                     |               |                |
| 5                                  | White-eyed Vireo                  | One at Oak Openings on the 2nd trip  | 1                    | 1                   |               | X              |
| 4                                  | Yellow-throated Vireo             | Seen at Magee Marsh WA on 1st trip   | 2                    | 2                   | X             |                |
| 3                                  | Blue-headed Vireo                 | A few at Magee Marsh WA  | 4                    | 5                   | X             | X              |
| 2                                  | Warbling Vireo                    | The most common vireo  | 5                    | 11                  | X             | X              |
| 5                                  | Philadelphia Vireo                | Peak dates being May 12-15   | 7                    | 7                   | X             | X              |
| 2                                  | Red-eyed Vireo                    | A few seen on most days  | 6                    | 9                   | X             | X              |

| chance of seeing                 |                              |   | highest daily number | number of days seen | 1st trip 2011 | 2nd trip 2011* |
|----------------------------------|------------------------------|---|----------------------|---------------------|---------------|----------------|
| <b>Jays &amp; Crows</b>          |                              |   |                      |                     |               |                |
| 1                                | Blue Jay                     | Seen daily with a large group trying to cross Lake Erie at Magee Marsh          | 80                   | 13                  | X             | X              |
| 3                                | American Crow                | Surprisingly few. Seen both days in Michigan, yet only on 3 of 13 days in Ohio! | 8                    | 5                   | X             | X              |
|                                  | Common Raven*                | Several seen around Grayling in Michigan on 2nd trip                            | 5                    | 2                   |               | X*             |
| <b>Larks</b>                     |                              |   |                      |                     |               |                |
| 3                                | Horned Lark                  | Seen in open fields in small numbers  | 4                    | 6                   | X             | X              |
| <b>Swallows &amp; Martins</b>    |                              |   |                      |                     |               |                |
| 2                                | Purple Martin                | Seen mainly at Ottawa NWR and Maumee SP where there were nest houses            | 20                   | 8                   | X             | X              |
| 1                                | Tree Swallow                 | Common, widespread and seen daily   | 75                   | 13                  | X             | X              |
| 3                                | Bank Swallow                 | Seen on the 2nd trip at Ottawa NWR  | 6                    | 1                   |               | X              |
| 1                                | Barn Swallow                 | Fairly common and widespread, seen daily  | 20                   | 13                  | X             | X              |
| <b>Chickadees &amp; Titmouse</b> |                              |   |                      |                     |               |                |
| 1                                | Black-capped Chickadee       | One or two in Ohio on most days; more common in the forests in Michigan         | 8                    | 9                   | X             | X              |
| 1                                | Tufted Titmouse              | Just a couple seen on both trips  | 3                    | 5                   | X             | X              |
| <b>Nuthatches</b>                |                              |   |                      |                     |               |                |
| 3                                | Red-breasted Nuthatch        | Surprisingly, there were a few still around at this late date                   | 4                    | 6                   | X             | X              |
| 1                                | White-breasted Nuthatch      | A pair at Oak Openings on the 2nd trip and 1 in Michigan                        | 2                    | 2                   | X             | X              |
| <b>Creepers</b>                  |                              |   |                      |                     |               |                |
| 4                                | Brown Creeper                | 2 at Maumee Bay SP on 2nd trip  | 2                    | 1                   |               | X              |
| <b>Wrens</b>                     |                              |   |                      |                     |               |                |
| 2                                | Carolina Wren                | Only encounter was one at Maumee Bay SP   | 1                    | 2                   | X             | X              |
| 1                                | House Wren                   | Widespread in small numbers in Ohio   | 4                    | 11                  | X             | X              |
| 5                                | Eastern Winter Wren          | Another late sighting. 1 at Magee Marsh on the 1st trip                         | 1                    | 1                   | X             |                |
| 4                                | Marsh Wren                   | Seen at Ottawa NWR, as well as Nayanquing SWA on 2nd trip                       | 4                    | 3                   | X             | X              |
| <b>Kinglets</b>                  |                              |   |                      |                     |               |                |
| 2                                | Ruby-crowned Kinglet         | Small numbers daily through May 15  | 10                   | 9                   | X             | X              |
| <b>Gnatcatchers</b>              |                              |   |                      |                     |               |                |
| 3                                | Blue-gray Gnatcatcher        | A few seen daily  | 4                    | 13                  | X             | X              |
| <b>Thrushes</b>                  |                              |   |                      |                     |               |                |
| 2                                | Eastern Bluebird             | Seen at Oak Openings  | 2                    | 3                   | X             | X              |
| 3                                | Veery                        | The most common migrant thrush  | 5                    | 9                   | X             | X              |
| 4                                | Gray-cheeked Thrush          | A few seen at Magee Marsh WA  | 3                    | 6                   | X             | X              |
| 2                                | Swainson's Thrush            | Seen at Magee Marsh WA from May 10 with numbers peaking May 18                  | 12                   | 7                   | X             | X              |
| 3                                | Hermit Thrush                | 1 or 2 at Marsh Marsh WA through May 12   | 2                    | 2                   | X             |                |
| 3                                | Wood Thrush                  | A few at Magee Marsh WA   | 4                    | 5                   | X             | X              |
| 1                                | American Robin               | Common and widespread, seen daily   | 30                   | 13                  | X             | X              |
| <b>Mimids</b>                    |                              |   |                      |                     |               |                |
| 1                                | Gray Catbird                 | Common and widespread   | 20                   | 12                  | X             | X              |
| 5                                | Northern Mockingbird         | Only seen on 2nd trip as we drove through Toledo!                               | 1                    | 1                   | X             |                |
| 3                                | Brown Thrasher               | A few seen at Magee Marsh and in Michigan                                       | 5                    | 4                   | X             | X              |
| <b>Starlings</b>                 |                              |   |                      |                     |               |                |
| 1                                | European Starling            | Seen daily  | 20                   | 13                  | X             | X              |
| <b>Pipits</b>                    |                              |   |                      |                     |               |                |
| 5                                | American Pipit               | In open field around Rte 2  | 10                   | 4                   | X             | X              |
| <b>Waxwings</b>                  |                              |   |                      |                     |               |                |
| 3                                | Cedar Waxwing                | A few flocks mainly at Magee Marsh WA on 1st trip                               | 25                   | 5                   | X             |                |
| <b>Wood Warblers</b>             |                              |   |                      |                     |               |                |
| 4                                | Blue-winged Warbler          | 1 on 1st trip at Ottawa NWR   | 1                    | 1                   | X             |                |
| 5                                | Golden-winged Warbler        | 1 at Ottawa NWR on 1st trip   | 1                    | 1                   | X             |                |
| 2                                | Tennessee Warbler            | A few at Magee Marsh higher numbers on 2nd trip                                 | 5                    | 9                   | X             | X              |
| 4                                | Orange-crowned Warbler       | Individuals at Magee Marsh May 5-11 and May 17-18                               | 2                    | 5                   | X             | X              |
| 1                                | Nashville Warbler            | Common, peaking between May 9-13. A number heard at Grayling, MI                | 20                   | 12                  | X             | X              |
| 3                                | Northern Parula              | A handful seen at Magee Marsh with highest number May 16                        | 15                   | 11                  | X             | X              |
| 1                                | Yellow Warbler               | A steady number seen daily  | 25                   | 13                  | X             | X              |
| 1                                | Chestnut-sided Warbler       | Common on most days with highest numbers May 16-17                              | 30                   | 11                  | X             | X              |
| 1                                | Magnolia Warbler             | Seen daily in good numbers with highest counts May 13-18                        | 30                   | 11                  | X             | X              |
| 3                                | Cape May Warbler             | A few on most days with a high on May 13  | 10                   | 10                  | X             | X              |
| 2                                | Black-throated Blue Warbler  | A few of each sex on most days peaking May 13                                   | 10                   | 11                  | X             | X              |
| 1                                | Yellow-rumped Warbler        | The most common migrant. Seen daily. Big numbers through May 10                 | 100                  | 12                  | X             | X              |
| 2                                | Black-throated Green Warbler | Seen each with higher numbers through May 10                                    | 20                   | 12                  | X             | X              |
| 3                                | Blackburnian Warbler         | Great looks at a few most days  | 5                    | 11                  | X             | X              |
| 4                                | Pine Warbler                 | Singles at Magee and Oak Openings; A pair at Hartwick Pines in MI               | 2                    | 3                   | X             | X              |
| 6                                | Kirtland's Warbler*          | Seen exceptionally well at Grayling in Michigan along with a few others heard   | 2                    | 1                   |               | X*             |
| 1                                | Palm Warbler                 | Seen almost daily with highest numbers through May 13                           | 25                   | 11                  | X             | X              |
| 2                                | Bay-breasted Warbler         | A few through May 12, followed by higher numbers through May 18                 | 20                   | 11                  | X             | X              |

| chance of seeing  |                                 |  | highest daily number | number of days seen | 1st trip 2011 | 2nd trip 2011* |
|---|---------------------------------|--|----------------------|---------------------|---------------|----------------|
| 2   | Blackpoll Warbler               | Single birds through May 11 then daily numbers rose                    | 15                   | 9                   | X             | X              |
| 5   | Cerulean Warbler                | 1 on 1st trip at Magee Marsh; 1 at Pine Haven on 2nd Trip              | 1                    | 2                   | X             | X*             |
| 1   | Black-and-white Warbler         | A few seen daily in Ohio   | 8                    | 11                  | X             | X              |
| 1   | American Redstart               | Common at Magee Marsh  | 30                   | 11                  | X             | X              |
| 1   | Prothonotary Warbler            | Daily sightings of breeding pairs along Magee Marsh boardwalk          | 4                    | 11                  | X             | X              |
| 2   | Ovenbird                        | A few on most days   | 6                    | 9                   | X             | X              |
| 2   | Northern Waterthrush            | Individuals seen at the Magee Marsh boardwalk on both trips            | 2                    | 6                   | X             | X              |
| 5   | Connecticut Warbler             | 2 (slightly early migrants) on May 13 for the 1st trip.                | 2                    | 1                   | X             |                |
| 4   | Mourning Warbler                | May 10 was the 1st date with 3 on May 13, and a couple on the 2nd trip | 3                    | 5                   | X             | X              |
| 1   | Common Yellowthroat             | A few of these breeding birds seen each day                            | 7                    | 12                  | X             | X              |
| 4   | Hooded Warbler                  | 2 on the 1st trip  | 2                    | 1                   | X             |                |
| 3   | Wilson's Warbler                | A couple on most days  | 6                    | 10                  | X             | X              |
| 4   | Canada Warbler                  | A handful seen very well on most days                                  | 6                    | 9                   | X             | X              |
| <b>Emberizids</b>   |                                 |  |                      |                     |               |                |
| 3   | Eastern Towhee                  | Seen at Oak Openings   | 2                    | 2                   | X             | X              |
| 2   | Chipping Sparrow                | Common at Oak Openings a few elsewhere                                 | 10                   | 10                  | X             | X              |
| 6   | Clay-colored Sparrow *          | Seen at Grayling MI on 2nd trip  | 2                    | 1                   |               | X*             |
| 2   | Field Sparrow                   | A few at Oak Openings and in Michigan                                  | 2                    | 5                   | X             | X              |
|   | Vesper Sparrow *                | Seen near Grayling on the 2nd trip                                     | 3                    | 1                   |               | X*             |
| 3   | Lark Sparrow                    | Small isolated breeding population at Oak Openings.                    | 5                    | 2                   | X             | X              |
| 3   | Savannah Sparrow                | A couple in fields   | 2                    | 6                   | X             | X              |
| 3   | Grasshopper Sparrow             | A couple seen well at Oak Openings                                     | 3                    | 2                   | X             | X              |
|   | Henslow's Sparrow *             | 1 in Michigan on the 2nd trip  | 1                    | 1                   |               | X*             |
| 1   | Song Sparrow                    | Widespread in small numbers. Seen daily                                | 4                    | 13                  | X             | X              |
| 4   | Lincoln's Sparrow               | Seen on the boardwalk at Magee Marsh and heard at Grayling             | 2                    | 8                   | X             | X              |
| 3   | Swamp Sparrow                   | Seen at Ottawa NWR on 1st trip, and Nayanquing SWA on 2nd trip         | 3                    | 2                   | X             | X*             |
| 1   | White-throated Sparrow          | Common in good numbers on most days at Magee Marsh                     | 30                   | 10                  | X             | X              |
| 2   | White-crowned Sparrow           | Common at the feeders at BSBO  | 12                   | 12                  | X             | X              |
| <b>Tanagers, Cardinals, Grosbeaks &amp; American Buntings</b> |                                 |  |                      |                     |               |                |
| 5   | Summer Tanager                  | Seen at Oak Openings on 2nd trip                                       | 1                    | 1                   |               | X              |
| 3   | Scarlet Tanager                 | A few seen at Magee Marsh boardwalk                                    | 8                    | 7                   | X             | X              |
| 1   | Northern Cardinal               | Scattered. Seen on most days in small numbers                          | 10                   | 12                  | X             | X              |
| 2   | Rose-breasted Grosbeak          | Widespread in small numbers on most days                               | 10                   | 11                  | X             | X              |
| 5   | Blue Grosbeak                   | Seen at Oak Openings on the 2nd trip                                   | 1                    | 1                   |               | X              |
| 3   | Indigo Bunting                  | A few at Magee Marsh WA and Oak Openings                               | 4                    | 6                   | X             | X              |
| <b>Blackbirds</b>   |                                 |  |                      |                     |               |                |
| 5   | Bobolink                        | A group found displaying near Ottawa NWR                               | 12                   | 3                   | X             | X              |
| 1   | Red-winged Blackbird            | Common and widespread  | 80                   | 13                  | X             | X              |
| 4   | Eastern Meadowlark              | A few seen at Oak Openings and near the Bobolinks                      | 4                    | 3                   | X             | X              |
| 5   | Yellow-headed Blackbird         | A couple at Ottawa NWR   | 3                    | 3                   | X             | X              |
| 1   | Common Grackle                  | Common and widespread, seen daily                                      | 40                   | 13                  | X             | X              |
| 2   | Brown-headed Cowbird            | Fairly common seen daily   | 25                   | 13                  | X             | X              |
| 4   | Orchard Oriole                  | Seen at Oak Openings and Maumee Bay SP                                 | 3                    | 3                   | X             | X              |
| 2   | Baltimore Oriole                | Common in Ohio. 1 seen in Michigan                                     | 20                   | 12                  | X             | X              |
| <b>Finches, Crossbills &amp; Siskins</b>                      |                                 |  |                      |                     |               |                |
| 5   | Purple Finch                    | Seen at Hartwick Pines SP on the 2nd trip                              | 4                    | 1                   |               | X*             |
| 4   | House Finch                     | Surprisingly uncommon. Seen in Port Clinton.                           | 1                    | 4                   | X             | X              |
| 5   | Pine Siskin                     | 1 at the BSBO feeders on the 2nd trip. Heard in Grayling               | 1                    | 3                   |               | X              |
| 1   | American Goldfinch              | Widespread and common. Seen daily                                      | 20                   | 13                  | X             | X              |
|   | Evening Grosbeak*               | Seen at Hartwick Pines SP on the 2nd trip                              | 2                    | 1                   |               | X*             |
| <b>Old World Sparrows</b>                                     |                                 |  |                      |                     |               |                |
| 1   | House Sparrow                   | Fairly common in small numbers   | 10                   | 11                  | X             | X              |
|   | <b>TOTAL 180*</b>               |  |                      |                     | <b>153</b>    | <b>163*</b>    |
|   | * = includes 2 days in Michigan |  |                      |                     |               |                |

| chance of seeing                     |                                |   | highest daily number | number of days seen | 1st trip 2011 | 2nd trip 2011* |
|--------------------------------------|--------------------------------|---|----------------------|---------------------|---------------|----------------|
| <b>MAMMALS</b>                       |                                |   |                      |                     |               |                |
|                                      | Eastern Cottontail             | A couple seen at Magee Marsh WA                                   | 2                    | 8                   | X             | X              |
|                                      | Muskrat                        | Individual sightings at Magee Marsh WA and Ottawa NWR             | 1                    | 5                   | X             | X              |
|                                      | Beaver                         | One at Ottawa on 2nd trip   | 1                    | 1                   |               | X              |
|                                      | Groundhog                      | Seen at Magee Marsh and Oak Openings                              | 2                    | 4                   | X             | X              |
|                                      | Eastern Gray Squirrel          | Scattered in small numbers  | 4                    | 3                   | X             | X              |
|                                      | Black morph                    | 1 in Michigan on the 2nd trip                                     | 1                    | 1                   |               | X*             |
|                                      | Eastern Fox Squirrel           | Seen at Magee Marsh WA and Oak Openings                           | 4                    | 10                  | X             | X              |
|                                      | Red Squirrel                   | A pair at Oak Openings on 1st trip and Hartwick Pines on 2nd trip | 2                    | 2                   | X             | X*             |
|                                      | Thirteen-lined Ground Squirrel | 1 at Grayling in MI on 2nd trip                                   | 1                    | 1                   |               | X*             |
|                                      | Eastern Chipmunk               | Seen at Oak Openings on 1st trip and Pine Haven on 2nd trip       | 3                    | 2                   | X             | X*             |
|                                      | White-footed Deer Mouse        | 1 at Magee Marsh  | 1                    | 1                   |               | X              |
|                                      | Bat sp                         | Seen in Port Clinton on 2nd trip                                  | 1                    | 1                   |               | X              |
|                                      | Raccoon                        | Individuals seen on each trip                                     | 1                    | 3                   | X             | X              |
|                                      | White-tailed Deer              | Scattered   | 10                   | 7                   | X             | X              |
| <b>BUTTERFLIES</b>                   |                                |   |                      |                     |               |                |
|                                      | Black Swallowtail              | Oak Openings on 1st trip and Michigan on 2nd trip                 | 2                    | 2                   | X             | X              |
|                                      | Eastern Tiger Swallowtail      | Oak Openings on 1st trip  | 2                    | 2                   | X             |                |
|                                      | Cabbage White                  | Individuals seen near Magee Marsh                                 | 2                    | 1                   | X             |                |
|                                      | Clouded Sulphur                | Oak Openings on 2nd trip  | 1                    | 1                   |               | X              |
|                                      | Hoary Elfin*                   | Seen at Grayling MI on 2nd trip                                   | 1                    | 1                   |               | X*             |
|                                      | Spring Azure                   | Oak Openings on 1st trip  | 1                    | 1                   | X             |                |
|                                      | Meadow Fritillary              | Oak Openings on pre and 1st trip                                  | 1                    | 1                   | X             |                |
|                                      | Comma                          | Seen at Magee Marsh and Oak Openings on 1st trip                  | 1                    | 2                   | X             |                |
|                                      | Red Admiral                    | Open Openings on 1st trip and Ottawa NWR on 2nd                   | 1                    | 2                   | X             | X              |
|                                      | Monarch                        | One at Magee Marsh WA   | 1                    | 1                   | X             |                |
|                                      | Dreamy Duskywing *             | Seen at Grayling MI on 2nd trip                                   | 1                    | 1                   |               | X*             |
| <b>DRAGONFLIES &amp; DAMSELFLIES</b> |                                |   |                      |                     |               |                |
|                                      | Unidentified dragonfly         | Seen at Magee Marsh WA  | 1                    | 1                   | X             | X              |
|                                      | Unidentified blue damselfly    | Seen at Ottawa NWR  | 5                    | 1                   |               | X              |
| <b>AMPHIBIANS</b>                    |                                |   |                      |                     |               |                |
|                                      | Northern Leopard Frog          | Seen at Ottawa NWR  | 4                    | 1                   | X             |                |
|                                      | Green Frog                     | Heard a few times; seen at Pine Haven in MI                       | 1                    | 3                   | X             | X*             |
|                                      | Bullfrog                       | Heard more often than seen at Magee Marsh WA                      | 1                    | 2                   | X             | X              |
| <b>REPTILES</b>                      |                                |   |                      |                     |               |                |
|                                      | Midland Painted Turtle         | A couple basking on sunny days at Magee Marsh                     | 2                    | 4                   | X             | X              |
|                                      | Snapping Turtle                | Seen at Magee Marsh WA and along Lake Erie                        | 1                    | 1                   | X             |                |
|                                      | Northern Water Snake           | The most common snake seen at Metzger Marsh and Magee Marsh       | 3                    | 4                   | X             | X              |
|                                      | Eastern Garter Snake           | Seen at Ottawa NWR and Magee Marsh                                | 2                    | 2                   | X             | X              |
|                                      | Eastern Fox Snake              | Seen at Magee Marsh boardwalk                                     | 1                    | 1                   | X             |                |
|                                      | Black Rat Snake                | Seen at Metzger Marsh   | 1                    | 1                   | X             |                |



